



TAPES INTERNATIONAL

ADHESIVE TAPE SPECIALISTS

Tape solutions made simple!

Product Catalogue August 2023



Aeronautical/Marine



Construction/Industrial/Mining



Automotive Repair/Transportation



HVAC/Plumbing



Packaging & Warehousing



Graphics/signage
SIGNAGE



Aluminium Joinery/ Glazing



Safety Tapes/PPE



Retail/Stationery



Environmental Range



Paint/ Hardware/ DIY



Manufacturing/ Food & Beverage



Audio, Visual & Entertainment



Printed Tapes & Labels



Diecutting/Converting



www.stylustapes.com.au

Adelaide | Brisbane | Melbourne | Perth | Sydney | Auckland

08 8241 5239

07 3273 3211

03 9783 0122

08 9303 4160

02 9632 9400

02 9632 9400



Company profile

Stylus Tapes International is an Australian owned and operated company. Established in 1981, it has grown to become one of the nation's largest importers, converters and suppliers of pressure sensitive adhesive tape throughout Australia and the South Pacific region.

The Stylus distribution network services a broad range of markets & industries.

These include packaging, industrial, engineering, automotive, film, music, safety, stationery, hardware, building, aeronautical, manufacturing, mining and many others.

The range of adhesive tapes is both diverse & of the highest quality, which ensures customer satisfaction and confidence.

The company, via its extensive distribution network has established itself as a market leader by providing:

- A Comprehensive range of products & well recognised brands from some of the world's leading manufacturers.
- A fast developing range of new, sustainable & eco friendly products.
- An experienced management team with unparalleled expertise and knowledge.
- A high level of service, facilitated by five company operated warehouses (combined capacity of 9,000 square metres) located in all mainland states of Australia & New Zealand.
- A strong customer focus driven by a dedicated national sales force, coupled with the ability to customise product through an extensive converting & printing facility.



Perth



Brisbane



Sydney - H/O



Adelaide



Melbourne



Auckland



Accreditations



Follow us



Environmental Website

www.environmentaltape.com.au



www.stylustapes.com.au

For more detailed information on any of our products please refer to our website

www.stylustapes.com.au

Contents

	PAGE		PAGE
PACKAGING TAPES	4	PLATE/STEREO MOUNT TAPES	15
ENVIRONMENTAL RANGE	5-6	DOUBLE SIDED FOAM TAPES	15
C247 COLOURED OPP PACKAGING TAPE	6	HBF (HIGH BOND FOAM) RANGE	16
PRINTED STOCK MESSAGE TAPES & LABELS	7	NANO TAPE	17
FILAMENT & STRAPPING	7	MAGNETIC TAPE	17
SELF ADHESIVE LOPES	7	SURFACE PREPARATION	17
SPRAY ADHESIVES	8	SINGLE SIDED FOAM TAPES	18
DISPENSERS	8	DISPOSABLE GLOVES	19
TAMPER EVIDENT TAPES & LABELS	8	RETAIL RANGE - DOUBLE SIDED	19
GAFFER TAPES	9	RETAIL RANGE - REFLECTIVE	19
SPECIALISED GAFFER TAPES	9	RETAIL RANGE - SEALING TAPES	20
CLOTH TAPES	9	SAFETY TAPES	20
RETAIL PACKED CLOTH TAPES	10	BARRICADE TAPES	21
RETAIL PACKED MASKING TAPES	10	STATIONERY TAPES	21
MASKING TAPES BULK PACKED	11	ELECTRICAL TAPES	21
TAPED MASKING FILMS	11	CABLE WRAP	22
PREFOLDED FILM & MASKING PAPER	12	HOOK & LOOP	22
MULTIPURPOSE PE TAPES	12	PROTECTION TAPES	23
PAPER TAPES	12	SPECIAL APPLICATION RANGE	23
SEALING & JOINING DUCT TAPES	13	AUTOMOTIVE CONSUMABLES	23
FOIL TAPES	13	REFLECTIVE TAPE - HIP (CLASS 1/CLASS400)	24
ADHESIVE TRANSFER TAPES	13	REFLECTIVE TAPE - VC (EDGE SEALED)	24
DOUBLE SIDED TAPES	14	CUSTOM PRINTED MESSAGE TAPES & LABELS	25
JUMBO LENGTH ROLLS	14	DIE CUTS	25
EXTENDED LINER/FINGERLIFT TAPES	14	AEROSPACE	25

Packaging Tapes

Packaging applications and performance requirements can vary greatly, resulting in Stylus developing a broad range of products to suit them all.

ACRYLIC RANGE

Stylus PP98 Acrylic Adhesive

Budget tape

Stylus PP99 Acrylic Adhesive

Budget tape

Stylus PP100 Acrylic Adhesive

Economy grade tape

Nachi PP101 Acrylic Adhesive

Recognised & proven brand, General purpose grade tape

Stylus PP102 Acrylic Adhesive

Heavy duty grade for more demanding applications

Stylus PP104 Acrylic Adhesive

Machine tape (1,000m & 2,000m) - our best performer

Smartape PP150 Acrylic Adhesive - Extra-long (150m)

Extreme applications

For use with H150-S Dispenser on page 7

Smartape Serrated Edge Acrylic Adhesive

Hand tearable, OHS friendly - no blades required

Nachi PP505 Acrylic Adhesive

Recognised & proven brand - single roll retail pack

Nachi 625 Acrylic Adhesive

Crystal clear, recognised & proven brand - retail pack



HOTMELT RANGE

Stylus PP105 Synthetic Rubber (Hotmelt) Adhesive

Industrial grade



NATURAL RUBBER RANGE

Smartape PP200 Rubber Adhesive

General purpose grade

Stylus PP202 Rubber Adhesive

General purpose grade

Stylus PP507 Rubber Adhesive

General purpose grade, Retail Packed

Stylus PP30 Rubber Adhesive

Extra thick

Stylus Premium Rubber Adhesive

Industrial grade for more demanding applications

Stylus PP30 Low Noise Rubber Adhesive

up to 80% quieter than traditional OPP tapes

Vibac PP30 Rubber Adhesive

“Australia’s favourite” for over 35 years

Stylus PP50 Rubber Adhesive

Super strength tape

Stylus 440 PVC Bag Sealing and Colour Coding Tape

Industrial grade ideal for everyday applications

Vibac 650 Rubber Adhesive

General purpose stationery tape 66m rolls




Environmental Range

Learn more: www.environmentaltape.com.au




monta biopack® 860 Compostable Tape (Natural Rubber adhesive)

Australia's first natural rubber packaging tape that meets AS 4736 (2006) regarding compostability & biodegradability. PLA (Polylactic Acid) film.



monta biopack® 860 LG Compostable Tape (Natural Rubber adhesive)

Instantly recognisable sustainable packaging tape that meets AS 4736 (2006) regarding compostability & biodegradability, printed with compostable ink & suitable for industrial composting. PLA (Polylactic Acid) film.



Stylus PET119

This eco-friendly PET (Polyethylene Terephthalate Film) packaging tape is made from a minimum 85% Post-Consumer Recycled (PCR) content coated with natural rubber adhesive making it ideal for light-heavy duty applications.



Ubis 4800 Kraft Packaging Tape Plain Ubis SP4800 Kraft Packaging Tape Standard Print Messages

Hand tearable with excellent adhesion even on recycled cartons. Suitable for manual & automated applications.



Ubis 4850 Reinforced Heavy Duty Kraft Packaging Tape

Heavy duty packaging tape with high tack hotmelt adhesive for an instant bond. Features reinforced fibres for added strength. Can be applied by pistol grip dispenser.



Stylus 280A Kraft Packaging Tape

Environmentally friendly economy kraft packaging tape that is hand tearable & can be recycled.



Cyclone 757 PE Seal & Join

Suitable for sealing & joining applications. PVC & lead free



Stylus EcoLope

Environmentally friendly plastic free envelope

150mm x 115mm

7010 - Invoice enclosed (Pack of 1,000)

7011 - Plain (Pack of 1,000)

7012 - Invoice enclosed (Retail pack of 100)

7013 - Plain (Retail pack of 100)

165mm x 115mm

7014 - Invoice Enclosed (Pack of 1,000)

7015 - Plain (Pack of 1,000)

7016 - Invoice enclosed (Retail pack of 100)

7017 - Plain (Retail pack of 100)



Coloured OPP Packaging Tape

Stylus C247 Economy grade OPP packaging tape with acrylic adhesive available in a variety of colours.

Colours available: black, dark blue, light blue, green, orange, pink, purple, red, white, yellow.

Size: 48mm x 66m



Printed Stock Message Tapes & Labels

- Stylus SP100 & SP101** Polypropylene film
printed black text on orange tape - Acrylic adhesive
- Stylus SP250** Polypropylene film
printed red text on white tape - Acrylic adhesive
- Stylus SP350** Polypropylene film
printed red text on white tape - Natural Rubber Adhesive
- Stylus SP455** PVC film
printed black text on orange tape - Natural Rubber Adhesive
- Stylus SP500 Shipping/Handling Labels** PVC Labels
printed black text on orange tape - Natural Rubber Adhesive
Perforated, easy to unwind, tear and stick, no paper to peel off
- Stylus SP500 Dangerous Goods Labels** PVC Labels
printed black & red on white tape - Natural Rubber Adhesive
Perforated, easy to unwind, tear and stick, no paper to peel off



Refer to website for all messages and colours


Filament & Strapping Tapes

- Stylus 185** High strength tensilised strapping/bundling tape
black and clear
- Stylus 801** One way filament general purpose
- Stylus 802** Two way (Crossweave) filament high strength/anti-burst



Self Adhesive Envelopes

- Stylus 7010 Ecolope** 150mm x 115mm White back "Invoice Enclosed" (Pack of 1,000)
- Stylus 7011 Ecolope** 150mm x 115mm White back plain lope, no print (Pack of 1,000)
- Stylus 7012 Ecolope** 150mm x 115mm White back "Invoice Enclosed" (Retail pack of 100)
- Stylus 7013 Ecolope** 150mm x 115mm White back plain lope, no print (Retail pack of 100)
- Stylus 7014 Ecolope** 165mm x 115mm White back "Invoice Enclosed" (Pack of 1,000)
- Stylus 7015 Ecolope** 165mm x 115mm White back plain lope, no print (Pack of 1,000)
- Stylus 7016 Ecolope** 165mm x 115mm White back "Invoice Enclosed" (Retail pack of 100)
- Stylus 7017 Ecolope** 165mm x 115mm White back plain lope, no print (Retail pack of 100)
- Stylus 7020** 150mm x 115mm White back "Invoice Enclosed" (Pack of 1,000)
- Stylus 7021** 150mm x 115mm White back Plain lope, no print (Pack of 1,000)
- Stylus 7022** 165mm x 115mm Red back "Invoice Enclosed" (Pack of 1,000)
- Stylus 7023** 165mm x 115mm Red back plain lope, no print (Pack of 1,000)
- Stylus 7024** 175mm x 125mm Red back "Invoice Enclosed" (Pack of 1,000)
- Stylus 7028** 235mm x 175mm Red back plain lope, no print (Pack of 500)
- Stylus 7030** 325mm x 235mm A4 White back plain lope, no print (Pack of 250)



Spray Adhesives

Heavy duty spray adhesive offering versatility and strength for a variety of demanding permanent bonding applications.

Nashua 357 Heavy Duty - 397g



Will bond to:

- ✓ Canvas
- ✓ Cardboard
- ✓ Carpet
- ✓ Cloth
- ✓ Cork
- ✓ Felt
- ✓ Foams
- ✓ Leather
- ✓ Metals
- ✓ Paper
- ✓ Plastics
- ✓ Rubber
- ✓ Upholstery
- ✓ Wood

Dispensers

- Stylus ATG-50** Transfer Gun - Extended Nose
- Stylus B2** Stationery Desk - Up to 25mm
- Stylus D2-50** Metal Tear Drop - Fits 50mm
- Stylus E7-R** Metal Bag Sealer - Up to 12mm
- Stylus H10** Pistol Grip - Up to 50mm
- Stylus H14** Low Noise Pistol Grip - Up to 50mm
- Stylus H75** Pistol Grip - Up to 75mm
- Stylus H150-S** Smartape Low Noise Pistol Grip - multi fit core 1" & 3"



Tamper Evident Tapes & Labels

- Stylus SKN-7701-Z** Blue Tape
(continuous roll)
Full transfer
- Stylus Security Labels** Blue labels 18mm x 35mm
(60 pack)
Full transfer



Gaffer Tapes

Nashua 357 The industry standard & “Professionals Choice” for over 40 years.

Widely used in the Audio, Visual & Entertainment industry.

Colours available: Black, Silver & White

Nashua 500 Indoor Matte Black Gaffer

Reduces light reflection in photography, film, video & stage uses

General repair & maintenance applications

Nashua 510 Outdoor Matte Black Gaffer

Reduces light reflection in photography, film, video & stage uses

Water & UV Resistant



Specialised Gaffer Tapes

Stylus 511 Premium Neon/Fluoro Gaffer

Available in Green, Orange, Pink & Yellow

Temporary marking & colour coding for Audio visual & entertainment



Cloth Tapes

Stylus 314B Blue Renderer’s Cloth Masking Tape

Sticks to rough & porous surfaces including concrete, brickwork, roof tiles, windows, glass & wood.

Available in 24mm, 36mm & 48mm wide

Stylus 368HM Economy

Aggressive hi tack hot melt adhesive suitable for a wide range of everyday general purpose applications. Black only.

Stylus 370 General Purpose

Suitable for book binding, repairing, sealing, bundling, colour coding.

Available in Beige, Black, Blue, Green, Red, Silver, White & Yellow.

Available in various widths.

Nashua 398 Industrial Grade

Tough & strong waterproof cloth. Multi-purpose household, DIY & basic contractor uses.

Available in Black, Blue, Green, Red, Silver, White & Yellow. 48mm wide only

Stylus 352 Premium Book Binding Grade.

Available in Beige, Black, Blue, Brown, Green, Red, Silver, White & Yellow. Available in various widths

Ubis 6601 Industrial grade tape with highly visible water resistant backing. Indoor & outdoor use. 48mm wide only

Stylus 3810 Tough & strong matte finish cloth that reduces light reflection.

Available in Black, Silver & White. 48mm wide only.

Stylus 3702 Fluoro matte finish cloth for indoor temporary.

Available in Green, Orange, Pink & Yellow. Available in various widths.



Retail Packed Cloth Tapes

Stylus 314R Blue Renderer's Cloth Masking Tape

Sticks to rough & porous surfaces including concrete, brickwork, roof tiles, windows, glass & wood
Available in 24mm, 36mm & 48mm wide

Cyclone 349 Ultra premium waterproof - Black

Extra thick & extra strong to take on the toughest, most challenging applications

Stylus 399 General Purpose (Retail packed)

Suitable for book binding, repairing, sealing, bundling, colour coding.
Available in Black, Blue, Green, Red, Silver, White & Yellow

Stylus 361 General Purpose Display Pack

Suitable for everyday use. Small 4.5m rolls - 48mm only
Available in Black only.

Stylus 360 General Purpose Assorted colour Display Pack

Suitable for everyday use. Small 4.5m rolls - 48mm only

Nashua 357 Race Tape

High performance cloth tape suitable for a wide variety of temporary repairs, sealing & bundling applications. Black only.



Retail Packed Masking Tapes

Kwikmask 605 - Coming soon 1 Day - General Purpose

Suitable for common everyday masking applications

Hystik 805 1 Day - General Purpose

Suitable for common everyday masking applications

Hystik 833 3 Day - Heavy Duty Grade

High adhesion tape for hard to stick surfaces

Hystik 821 5 Day - Contractors Grade

Removes cleanly up to 5 days indoors

Hystik 835 14 Day - Outdoor Grade

UV resistant, removes cleanly up to 14 days outdoors

Hystik 835T 14 Day - Outdoor Grade

UV resistant, removes cleanly up to 14 days outdoors - Tower pack

Kwikmask 120 60 Day (under UV)

Washi Outdoor providing sharp clean lines

Kwikmask 120T 60 Day (under UV)

Washi Outdoor providing sharp clean lines - Tower pack



Masking Tapes Bulk Packed

Hystik 8811 Automotive Grade - OEM & aftermarket oven bake masking 90°C

Kwikmask 9999 Automotive Grade - Yellow waterproof 110°C

Hystik 8801 General Purpose - Suitable for common everyday masking applications 60°C

Kwikmask 60 General Purpose - Suitable for common everyday masking applications 60°C

Kwikmask 180 High Temp Polyester film - Suitable for powder coat masking & silicone splicing applications 180°C

Stylus 179 Blue PVC Finesline - High temperature oven grade - 135°C

Dewal DW407 Aluminium foil masking


460^{PRO} Red Light Duty - Outdoor suitable 1-3 day - Up to 75°C

485^{HI VIS} Orange Heavy Duty - Outdoor suitable 1-4 day - Up to 80°C

827^{VIVID} Green Cold Temperature - Outdoor suitable 1-4 day - Up to 100°C

832^{ULTRA} Yellow High Temperature - Outdoor suitable 1-5 day - Up to 127°C

836^{PLUS} Green Extreme - Outdoor suitable 1-4 day - Up to 127°C



Taped Masking Films

Kwikmask GP 1 Day - 65°C (Blue Canister)

Pre-taped masking film with static cling

550mm drop sheet - Dispenser & refill pack

1200mm drop sheet - Dispenser & refill pack

1800mm drop sheet - Dispenser & refill pack

2700mm drop sheet - Dispenser & refill pack

Kwikmask Auto 3 Day - 82°C (Red Canister)

Pre-taped masking film with static cling

550mm drop sheet - Dispenser & refill pack

1800mm drop sheet - Dispenser & refill pack

2700mm drop sheet - Dispenser & refill pack

Stylus Pro Auto 5 Day - 100°C

Pre-taped masking film with static cling

550mm drop sheet - Dispenser & refill pack

1200mm drop sheet - Dispenser & refill pack

1800mm drop sheet - Dispenser & refill pack

2700mm drop sheet - Dispenser & refill pack

Kwikmask 120 60 Day - 100°C (Green label)

Pre-taped masking film with static cling

1800mm drop - Dispenser & refill pack

2700mm drop - Dispenser & refill pack



Prefolded Film & Masking Paper

Kwikmask PE Prefolded Film Masking Film

Corona treated to prevent paint flaking

1200mm x 50m

1800mm x 25m

2500mm x 25m

Fits in Stylus TH120 Dispenser

Kwikmask Kraft Masking Paper - 1 pack & 3 pack

Kraft paper absorbs paint to prevent flaking

150mm x 50m

300mm x 50m

Fits in Stylus TH120 Dispenser

Stylus AS-4809 Autosheet masking film opens out to 4.8m wide

Oven grade & corona treated to prevent paint flaking



Multipurpose PE Tapes

More environmentally friendly than traditional duct tapes

Cyclone 757 Duct - Silver

Suitable for sealing & joining applications.

PVC & lead free.

Nashua 757 Hang - Teal

Multipurpose PE tape suitable for wide variety of indoor applications due to its high tack adhesive & clean removability nature.

Nashua 767UV Easy On/Off - Red

Residue free & hand tearable multi purpose UV resistant

PE tape suitable for indoor & outdoor applications.

Nashua 2969 - White (Pinked edges)

White PE film with synthetic rubber adhesive.

Outdoor suitable

48mm x 55m

96mm x 55m

152mm x 55m



Paper Tapes

Stylus 260 Silicone kraft - Brown

Carpet layer tape & as "bond breaker tape"

Stylus 270 Flat back - Available in Brown & White

Picture framers tape

Acid free (pH neutral adhesive)

Stylus 280A Environmentally friendly economy kraft packaging tape that is hand tearable & can be recycled

Ubis 4800 Hand tearable with excellent adhesion even on recycled cartons. Suitable for manual & automated applications.

Ubis 4850 Heavy duty packaging tape with high tack hotmelt adhesive for an instant bond. Features reinforced fibres for added strength. Can be applied by pistol grip dispenser.



Sealing & Joining Duct Tapes



Cyclone 757 Sealing & Joining Tape - PVC & lead free
Silver - 48mm

177um

Kwikseal 550 Sealing & Joining Tape - Economy

Silver & Black - 48mm

130um



Stylus 550/13 Sealing & Joining Tape - General Purpose

Silver & Black - 48mm

Silver - 72mm - Premium Quality

130um



Nachi 150 Gold Label - Heavy duty grade suitable for

builders & concretors.

Silver - 48mm

150um



Stylus 550/15 - Premium

Silver - 48mm

150um



Foil Tapes

Stylus 902 Plain Aluminium Foil - Acrylic adhesive

Vapour seal/moisture barrier tape

Can be custom cut to various widths

Stylus 972 Reinforced Aluminium Foil

(Approval: AS/NZ 1530.3-1999) - Hotmelt adhesive

Lagging tape - High strength foil that can be torn by hand

Can be custom cut to various widths

Stylus 973 Reinforced Aluminium Foil

(Approval: AS/NZ 1530.3-1999) - Acrylic adhesive

Lagging tape - High strength foil that can be torn by hand

Can be custom cut to various widths

Polyken 345SW Premium Self-Wound foil Tape - Acrylic adhesive

Heavy duty/High temperature foil masking tape

Aerospace masking, protecting & repairing (Speedtape)

Electroplating masking

Heat Shield



Adhesive Transfer Tapes

Stylus T001 General Purpose Grade

Stylus T002 High Tack Grade

Stylus T003 Removable Grade

Can be used with ATG-50 Dispenser on page 7



Double Sided Tapes

Stylus 720 High tack premium grade cloth
Coated with natural rubber adhesive

Stylus 730 Permanent bonding tissue
Coated with natural rubber adhesive

Stylus 733 Multipurpose scrim/carpet tape
Coated with synthetic rubber adhesive

Stylus 740 Permanent bonding tissue
Coated with acrylic adhesive acid free

Stylus 745 Permanent bonding tissue
Coated with acrylic adhesive
Available in 50m & 250m rolls

Stylus 764 Temporary bonding cloth
Coated with high tack natural rubber adhesive

Stylus 765 Permanent bonding clear polyester film
Coated with high tack acrylic adhesive
Available in 50m & 250m rolls

Stylus 770 High tack pvc - white
Coated with high tack acrylic adhesive




Jumbo Length Rolls

Stylus 745 250m rolls
Permanent bonding tissue
Coated with acrylic adhesive

Stylus 765 250m rolls
Permanent bonding clear polyester film
Coated with high tack acrylic adhesive

OPP Carrot Tape 335m rolls
Premium grade BOPP film ideal for heavy duty applications. Natural rubber adhesive.
Available in white

440 PVC Carrot Tape 335m rolls
Industrial grade PVC film ideal for heavy duty applications. Natural rubber adhesive.
Available in white, red & yellow



Extended Liner/Fingerlift Tapes

Stylus 1811/FP Permanent bonding adhesive transfer on printed paper liner
Suitable for paper & PE film

Stylus DST/FP Permanent bonding tissue on printed paper liner
Suitable for paper & cardboard

Stylus 1431/FP Permanent bonding adhesive transfer on printed paper liner
Suitable for paper

Stylus 4181/FP Resealable film on printed paper liner
Coated with permanent one side & removable the other

Stylus SK6125 Permanent bonding adhesive on embossed OPP liner.



Plate/Stereo Mount Tapes

- Eurocel 781/10** Removable transparent PVC film - 4 thou
- Eurocel 781/20** Removable transparent PVC film - 8 thou
- Eurocel 781/30** Removable transparent PVC film - 12 thou



Double Sided Foam Tape

Selecting the correct product is crucial to success, from colonial bars, mirror mounting or commercial glazing suites, there is a Stylus double sided foam tape for every application.

- Stylus 2008BL** Polyethylene - White 0.80mm thick
Profile mounting - High shear strength for indoor uses
- Stylus 2010** Polyethylene - White 1.00mm thick
General purpose grade for indoor mounting applications
- Stylus 2015BL** Polyethylene - White 1.50mm thick
Mirror mounting - High shear strength for indoor uses
- Stylus 2030BL** Polyethylene - White 3.00mm thick
Mirror Mounting - High shear strength for indoor uses
- Stylus 2108** Polyethylene - White 3.20mm thick
Mirror Mounting - High shear strength for indoor uses
- Stylus 2116** Polyethylene - White 1.50mm thick
Mirror mounting - High shear strength for indoor uses
- Stylus 2132** Polyethylene - White 0.80mm thick
Profile mounting - High shear strength for indoor uses
- Stylus 5589/0.8** Polyethylene - Black 0.80mm thick
- Stylus 5589/1.5** Polyethylene - Black 1.50mm thick
- Stylus 5589/3.0** Polyethylene - Black 3.00mm thick
General purpose grade for outdoor mounting applications





HBF (High Bond Foam) Range

(various thicknesses & widths available)

This section bridges the gap between general purpose double sided foams & high performance solid acrylic. Commonly used in construction, sheet metal fabrication & train; truck & bus manufacture to replace or reduce the use of mechanical fasteners. If you have never seen what it can do ask for a demonstration.

Stylus 5310 DC Clear - 1.00mm thick Suitable for die cutting

Stylus 5505 ERL Hi bond - White - 0.50mm thick 0.50mm tape thickness allows for use of lighter weight substrates such as decorative profiles, name plates etc.

Stylus 5510 ERL Hi bond - White - 1.00mm thick Ideal for galvanised top hat sections & stiffening braces for panel to frame applications in combination with fasteners & sealants.

Stylus 5515 ERL Hi Bond - White - 1.15mm thick Ideal for galvanised top hat sections & stiffening braces for panel to frame applications in combination with fasteners & sealants.

Stylus 5520 ERL Hi Bond - White - 2.00mm thick Ideal for galvanised top hat sections & stiffening braces for panel to frame applications in combination with fasteners & sealants.

Stylus 5608 LSE ERL Bodymold - Black - 0.80mm thick Fixing & bonding low surface energy (LSE) substrates such as ABS, PC, PMMA, PVC, as well as powder coated metals.

Stylus 5611 ERL Hi bond - Grey - 1.10mm thick Performance grade high bond foamed acrylic Signage, Truck & Trailer skins, Construction

Stylus 5620 MARS Hi bond - Mars Black - 2.00mm thick Signage, Truck & Trailer skins

Stylus 5711 CT White - 1.10mm thick Signage, Truck & Trailer skins, Construction

Stylus 5803 LSE ERL Clear - 0.25mm thick Signage, Electronics, Appliances

Stylus 5810 LSE ERL Clear - 1.00mm thick Signage, Glass, Acrylics, Automotive

Stylus 5911 LSE ERL HT Grey - 1.10mm thick Fixing & bonding low surface energy (LSE) substrates such as ABS, PC, PMMA, PVC, as well as powder coated metals.

LSE Eliminates the need for primer & provides a higher tack at lower temperatures

LSE = Low Surface Energy
ERL = Easy Release Liner



Stylus Tapes HBF Tape Application Guide - October 2022



PRODUCT	IMAGE	COLOUR	THICKNESS (mm)	ADHESIVE TYPE	BACKING MATERIAL	TEMP RATING °C	CORE COLOUR	LINER TYPE	KEY FEATURE	SURFACE BONDING	PRIMARY APPLICATIONS	HBF CLASSIFICATION	HBF IDEALLY SUITED FOR BONDING THE FOLLOWING SUBSTRATES: ALUMINIUM, GLASS, GALVANISED STEEL, METAL, PAINTED & SEaled SURFACES, STAINLESS STEEL, & OTHER MSE & HSE PLASTICS	HBF IDEALLY SUITED FOR BONDING THE FOLLOWING SUBSTRATES: ABS, HDPE, PC, PMMA, PVC, PP, NYLON & TPO/ & OTHER LSE, MSE & HSE PLASTICS	Application Temperature for optimal performance	RoHS & Reach Certified	Die Cutting Ability	Low Temperature	High Temperature	Dilute Acid Resistance	Dilute Alkali Resistance	Air Sealing (at 100% bond and seal)	Solvent Resistance	UV Resistance	Vibration Dampening	Water Sealing
5310 DC		CLEAR	1.00	CLEAR ACRYLIC	CLEAR CLOSED CELL FOAM	-20 to 180		STANDARD PE - RED	DIE CUTTING	MSE & HSE	GASKETS, PADS, SHIMS	CLEAR BOND LINE FOR GENERAL PURPOSE APPLICATIONS	A	C	20 to 35	YES	A	B	B	A	A	A	A	A	A	A
5505 ERL		WHITE	0.50	CLEAR ACRYLIC	WHITE CLOSED CELL FOAM	-20 to 180		EASY RELEASE PP - RED	ECONOMY GRADE	MSE & HSE	THIN BOND LINE	WHITE BOND FOR GENERAL PURPOSE APPLICATIONS SIGNAGE	A	C	20 to 35	YES	C	B	B	A	A	A	A	A	A	
5510 ERL		WHITE	1.00	CLEAR ACRYLIC	WHITE CLOSED CELL FOAM	-20 to 180		EASY RELEASE PP - RED	ECONOMY GRADE	MSE & HSE	PANEL TO FRAME, STIFFENING BRACES	WHITE BOND FOR GENERAL PURPOSE APPLICATIONS CONSTRUCTION	A	C	20 to 35	YES	C	B	B	A	A	A	A	A	A	
5515 ERL		WHITE	1.50	CLEAR ACRYLIC	WHITE CLOSED CELL FOAM	-20 to 180		EASY RELEASE PP - RED	ECONOMY GRADE	MSE & HSE	PANEL TO FRAME, STIFFENING BRACES	WHITE BOND FOR GENERAL PURPOSE APPLICATIONS CONSTRUCTION	A	C	20 to 35	YES	C	B	B	A	A	A	A	A	A	
5520 ERL		WHITE	2.00	CLEAR ACRYLIC	WHITE CLOSED CELL FOAM	-20 to 180		EASY RELEASE PP - RED	ECONOMY GRADE	MSE & HSE	PANEL TO FRAME, STIFFENING BRACES	GENERAL PURPOSE FACED PANEL APPLICATIONS	A	C	20 to 35	YES	C	B	B	A	A	A	A	A	A	
5608 STD		GREY	0.80	CLEAR ACRYLIC	GREY CLOSED CELL FOAM	-20 to 120		STANDARD PE - RED	ECONOMY GRADE	MSE & HSE	THIN BOND LINE	GREY BOND LINE FOR GENERAL PURPOSE APPLICATIONS	A	C	20 to 35	YES	B	B	B	A	A	A	A	A	A	
5608 LSE ERL		BLACK	0.80	BLACK ACRYLIC ADHESIVE	FOAM	-20 to 180		EASY RELEASE PP - RED	LSE GRADE	LSE TO HSE	LSE AUTOMOTIVE BONDING & TRIMS	BLACK BOND LINE FOR GENERAL PURPOSE APPLICATIONS	A	A	15 to 35	YES	D	C	B	A	A	A	A	A	A	
5611 ERL		GREY	1.10	CLEAR ACRYLIC	GREY CLOSED CELL FOAM	-20 to 180		EASY RELEASE PP - RED	ECONOMY GRADE	MSE & HSE	PANEL TO FRAME, STIFFENING BRACES	GREY BOND LINE FOR GENERAL PURPOSE APPLICATIONS	A	C	20 to 35	YES	C	B	B	A	A	A	A	A	A	
5620 MARS		BLACK	2.00	BLACK ACRYLIC	GREY CLOSED CELL FOAM	-20 to 180		STANDARD PE - RED	DARK BLACK	MSE & HSE	CAR WEATHERSHIELDS, BLACK APPEARANCE	GREY BOND LINE FOR GENERAL PURPOSE APPLICATIONS	A	C	20 to 35	YES	B	B	B	A	A	A	A	A	A	
5711 CT		WHITE	1.10	CLEAR ACRYLIC	WHITE CLOSED CELL FOAM	-30 to 120		STANDARD PE - RED	COLD TEMP	MSE & HSE	PANEL TO FRAME, STIFFENING BRACES	WHITE BOND FOR GENERAL PURPOSE APPLICATIONS CONSTRUCTION	A	C	10 to 35	YES	B	A	B	A	A	A	A	A	A	
5803 LSE ERL		CLEAR	0.25	CLEAR ACRYLIC	ADHESIVE FOAM	-20 to 180		EASY RELEASE PP - RED	CLEAR LSE GRADE	LSE TO HSE	SUPER THIN CLEAR BOND LINE ON LSE SUBSTRATES	CLEAR BOND FOR GENERAL PURPOSE LSE APPLICATIONS SIGNAGE	A	A	15 to 35	YES	D	C	B	A	A	A	A	A	A	
5810 LSE ERL		CLEAR	1.00	CLEAR ACRYLIC	ADHESIVE FOAM	-20 to 180		EASY RELEASE PP - RED	CLEAR LSE GRADE	LSE TO HSE	CLEAR BOND LINE ON LSE SUBSTRATES	CLEAR BOND FOR GENERAL PURPOSE LSE APPLICATIONS SIGNAGE	A	A	15 to 35	YES	D	C	B	A	A	A	A	A	A	
5911 LSE ERL HT		GREY	1.10	GREY ACRYLIC	ADHESIVE FOAM	-20 to 230		EASY RELEASE PP - RED	HIGH TEMP LSE GRADE	LSE TO HSE	BOND SUBSTRATES PRE POWER COATING PROCESS	GREY BOND LINE FOR GENERAL PURPOSE LSE APPLICATIONS SIGNAGE	A	A	15 to 35	YES	D	C	A	A	A	A	A	A	A	

CLASSIFICATION CODE: A EXCELLENT B GOOD C AVERAGE D NOT RECOMMENDED



Nano Tape

Smartape 4620 Nano Multipurpose/ Reusable

Clear - 2.00mm thick

Double sided foamed acrylic

Suitable for lightweight applications

- Reusable
- Washable
- Movable
- Traceless



Magnetic Tape

Stylus Magnetic Tape

White

- Can be written on with permanent marker
- Can be cut with scissors
- Flexible & durable
- Longlasting hold
- Waterproof



Surface Preparation

No two surfaces are the same. Most require cleaning with IPA prior to tape application. Some also need to be primed with AP-1 as their surface energy value is too low to be able to achieve a functional bond between surface & adhesive. See "Surface Preparation" tab on website for more detailed information.

Stylus AP-1 Adhesion Promoter/Primer (25 mil)

Improves adhesive bond to low surface energy substrates

Stylus WBD Hand held plastic wipe down blade

Improves bond strength to substrates

I-Tack Wipes Anti static silicone free disposable wipes to remove dust, lint, dirt, sanding & other fine particles from various surfaces immediately prior to painting.

Blue - Low tack

Green - High tack



Single Sided Foam Tapes (various thicknesses & widths available)

- Kwikseal 3207** PVC - Grey Soft Density. Low density foam easily conforms to irregular surfaces
- Kwikseal 3209** PVC - Black Soft Density. Low density foam easily conforms to irregular surfaces
- Kwikseal 3257** PVC - Grey Medium Density. Slightly firmer version for narrow width applications
- Kwikseal 3259** PVC - Black Medium Density. Slightly firmer version for narrow width applications
- Kwikseal 3507** PVC - Grey Hard Density. Heavy duty foam suitable for many demanding applications
- Kwikseal 3509** PVC - Black Hard Density. Heavy duty foam suitable for many demanding applications
- Kwikseal 3803** Polyethylene - White Medium Density (Linerless). Multi use general purpose foam
- Kwikseal 3805** Polyethylene - White Medium Density (Linerless). Multi use general purpose foam
- Kwikseal 3829** Polyethylene - Grey Medium Density (Linerless). Multi use general purpose foam
- Kwikseal 9100** Polyethylene - Grey Medium Density. Multi use general purpose foam
- Kwikseal 7100** Polyurethane Open Cell - Grey Soft Density. For creating dust & insect barriers
- Kwikseal 6200** EPDM - Grey Soft Density. For creating dust & insect barriers
- Kwikseal 6100** Neoprene - Black Medium Density. High performance rubber for creating weather seals
- Kwikseal 8100** PVC/Nitrile - Black Medium Density. Economy grade for creating weather seals

Foam sealing applications & performance requirements are many & varied, most of our foams come in 6 thicknesses & up to 1200mm wide. Show us the application & we will have the foam to seal the deal. Ideal for creating long term waterproof seals, vibration dampening uses.



Stylus Tapes Single Sided Foam Tape Application Guide - August 2020

This application information is given in good faith for guidance purposes only to assist in the correct choice of foam for its intended use and not specification purposes. The Purchaser & End User shall be responsible for determining the suitability of a product for their intended application/s.		Acoustic & Sound Insulations	Ageing	Air Sealing	Compression Set	Conformability	Die Cutting Ability	Flammability	Low Temperature	High Temperature	Dilute Acid Resistance	Dilute Alkalis Resistance	Ozone Resistance	Solvent Resistance	UV Resistance	Vibration Dampening	Resistance to Water Absorption	Resistance to swell in presence of oil & petrol	Water Sealing	Reach Certified	RoHS Compliant
3200 Series	PVC Foams	B	A	B	C	B	B	B	C	C	B	B	A	C	C	C	B	C	B	YES	YES
3800 Series	Polyethylene Foams	C	A	B	B	B	A	C	A	B	A	A	B	A	C	B	A	B	B	YES	YES
6100 Series	Neoprene Foams	B	B	A	A	A	A	B	B	C	B	B	B	C	B	A	A	B	A	YES	YES
6200 Series	EPDM Foams	A	A	A	A	A	A	C	B	B	B	B	A	C	A	A	A	C	A	YES	YES
7100 Series	Polyurethane Foams	B	C	D	D	B	B	B	C	B	B	B	B	B	D	D	D	B	D	YES	YES
8100 Series	PVC/Nitrile Foams	B	B	B	B	B	B	B	B	C	B	B	B	B	B	B	B	C	B	YES	YES
9100 Series	Polyethylene Foams	C	A	A	B	B	A	C	A	B	A	A	B	A	C	B	A	B	A	YES	YES

CLASSIFICATION CODE: A EXCELLENT B GOOD C AVERAGE D POOR

Disposable Gloves (various sizes available)

Stylus Vinyl Blue

AQL 4 Rating

Multipurpose - Suitable for a wide variety of everyday uses

Stylus Latex Cream

AQL 4 Rating

Examination grade offering increased feel (fits like a second skin)

Stylus Nitrile Blue

AQL 4 Rating

Industrial grade super touch/nick resistant glove

Stylus Nitrile Black

AQL 4 Rating

Superior strength & tear resistant glove with textured grip

Stylus Nitrile Orange

AQL 4 Rating

Diamond textured design for unbeatable grip & enhanced thickness for puncture/tear resistance



Retail Range – Double Sided Tapes

Stylus 5608 LSE ERL x 5m Bodymold - Black - 0.80mm thick Fixing & bonding low surface energy (LSE) substrates such as ABS, PC, PMMA, PVC, as well as powder coated metals.

Stylus 5611 ERL x 5m Hi bond - Grey - 1.10mm thick Performance grade high bond foamed acrylic Signage, Truck & Trailer skins, Construction

Stylus 5810 LSE ERL x 5m Clear - 1.00mm thick Signage, Glass, Acrylics, Automotive

Nachi 2010R Polypropylene - Available in black or white

Multi purpose mounting foam tape for general light weight indoor use

Nachi 4608G Grey - High Bond - 0.8mm

Multi purpose mounting foam tape coated with permanent bonding adhesive for general light weight indoor & outdoor uses

Nachi 4610C Clear - High Bond - 1.0mm

Multi purpose mounting foam tape coated with permanent bonding adhesive for general light weight indoor & outdoor uses

Stylus 5589 Polyethylene - Black

General Purpose grade for outdoor mounting applications - 0.80mm thick

Stylus 733 Multipurpose Scrim/carpet tape

Coated with synthetic rubber adhesive



Retail Range – Reflective

This multi purpose high intensity engineering grade tape is suitable for a wide variety of general day to day safety marking applications.

Stylus 294 Available in Red, Yellow, White & Yellow/Green



Retail Range – Sealing Tapes

Nashua 386 Self Fusing Silicone Tape

Available in Black & Clear

Temporary repair/rescue tape

Nashua 361-11 Waterproofing repair tape

Can be applied to wet surfaces – EVEN UNDER WATER

RoHS compliant in respect to 2002/95/EC



Safety Tapes

Stylus 210 Cloth Hazard Stripe Yellow/Black

Removable tape for use in short term/temporary applications

Can be torn by hand

Stylus 471 Floor Marking - Sticks to clean, smooth, sealed surfaces

For marking out: Warehouse aisles & boundaries, restricted/safety locations, hazardous areas & indoor sports halls

Solid Colours (Black, Blue, Green, Red, White & Yellow)

Marking out sports courts/warehouses

Stylus 471 PVC Indoor Safety/Warning Tape Sticks to clean, smooth, sealed surfaces

For marking out: Warehouse aisles & boundaries, restricted/safety locations, hazardous areas & indoor sports halls

Various hazard stripe colours (Red/White & Black/Yellow)

For identifying hazards & emergency zones



Stylus 2660 Anti-Slip (exceeds AS/NZS: 4586:2004)

Available in solid & diagonal hazard stripe colours (Grey, Black, Red, White, Yellow, Clear & Black/Yellow)

Greatly reduces chances of slipping in high risk areas



Stylus 2660 Anti-Slip Mats (exceeds AS/NZS: 4586:2004)

Various styles ideal for stair treads warehouse entry/exit areas

Individually bagged & pre-cut to 605mm x 115mm



Application tips

Surface preparation forms an integral part in the successful & long term performance of these products. Please refer to page 14 - application aids & see the website for more detailed information.

Barricade Tapes

Stylus 2770 Non Adhesive

For identifying temporary hazardous/restricted zones PVC Indoor

Red/White 72mm x 50m

Red/White 72mm x 100m

Green/White 72mm x 100m

Blue/White 72mm x 100m

Black/Yellow 72mm x 100m

Black/Yellow "Asbestos" 72mm x 100m

Black/Yellow "Caution" 72mm x 100m

Black/Red/White "Danger" 72mm x 50m

Black/Red/White "Danger" 72mm x 100m



Stationery Tapes

Nachi 620 Crystal Clear

Large 66m rolls

Consumer satisfaction since 1990

Nachi 630 Crystal Clear

Small 33m rolls

Consumer satisfaction since 1990



Electrical Tapes

Stylus 500 Electrical Insulation Tape - Display Pack - Assorted colours

Suitable for everyday use

Stylus 520 Electrical Insulation Tape - Bulk Pack - Suitable for everyday use

Available in Black, Blue, Green, Green/Yellow Stripe, Red, Silver, White & Yellow



Cable Wrap (re-closable up to 5,000 times)

Stylus 3420/19 Black 19mm

Stylus 3420/25 Black 25mm

Self gripping & reusable

Heavy duty grade offering superior/adjustable closure over a long life cycle.

Suitable for internal & external uses.

Can be mechanically fixed by riveting, screwing or stapling.

Continuous roll form allowing you to cut to your desired length.



Hook & Loop

Suitable for sticking to a variety of surfaces

Easy to use & apply - simply press & stick

Can be cut to any desired length

Available in a variety of sizes & colours

Stylus 3421 Hook in continuous roll form. Will anchor itself to various kinds of loop materials from fabrics to carpet etc

Available in Black & White - 25mm & 50mm wide

Stylus 3422 Loop in continuous roll form

Available in Black & White - 25mm & 50mm wide

Stylus Dots As above but in dot form

Available in Black & White, Hook & Loop

22mm diameter dot


1025 pieces per roll



Protection Tapes

Commonly used for protecting surfaces from damage during the building and/or assembly process. Available in a wide variety of widths.

- Stylus 2920** Polyethylene Film - Translucent Blue - Acrylic adhesive
Suitable for use indoors & outdoors. Removes cleanly - Medium tack 50um
RoHs compliant in relation to Directive 2011/65/EU with amendment (EU) 2015/863
Clean removal after exposure to outdoors for up to 6 months. AS 2001.4.212006 test method
- Stylus 2922** Polyethylene Film - Translucent Green
Suitable for use indoors & outdoors. Removes cleanly - Medium tack 70um
- Stylus 2923** Polyethylene Film - Black - Acrylic adhesive
Suitable for use indoors & outdoors. Removes cleanly - Medium tack 110um
- Stylus 2925** Polyethylene Film - Black - Synthetic rubber adhesive
Suitable for use indoors & outdoors. Removes cleanly - Medium/high tack 120um
- Stylus 2933** Polyethylene - Clear
Outdoor repair/green house tape
- Stylus 8518** PVC Film - Black
Suitable for outdoor applications. Removes cleanly
- Stylus Transit Pad** 4mm thick blue PVC glass
1000 pieces per roll - 23mm x 18mm



Special Application Range

- Stylus 134-3** PTFE - Brown Glass Cloth (3 thou)
Heat bar/seam sealer tape
- Stylus 134-6** PTFE - Brown Glass Cloth (6 thou)
Heat bar/seam sealer tape
- Dewal DW204-3** PTFE - Brown Skived Film
Extremely high temperature masking tape
- Dewal 1510** UHMW - Translucent
Slick surface guide tape
- Polyken 8300** Polyurethane - Clear
UV stable surface protection tape
For leading edges, racing industry & sport equipment



Automotive Consumables

- Chicane Tape** 75mm x 20m
- Parking Sensor Dots** 18mm
- Logo/Emblem Tape** 50mm x 300mm
- I-Tack Wipes** Anti static silicone free disposable wipes to remove dust, lint, dirt, sanding & other fine particles from various surfaces immediately prior to painting.
Blue - Low tack Green - High tack
- BA Headlight Renovator Kit**
- BA Headlight Renovator Polymer** 600ml
- SPS125 Pro Paint System** 400ml, 650ml, 850ml
- SPS Mixing Cups** 400ml Flat lid, 600ml Flat lid, 1100ml Nozzle lid, 1900ml Nozzle lid




High Intensity Prismatic (Class 1/Class 400)

Provides close to three times more reflectivity & more angularity than Class 2. These features make it suitable for use on road works sign, heavy vehicle markers, mining vehicles & road signs in disadvantaged locations or black spot areas. Conforms to AS/NZS 1906.1:2007.


Stylus HIP-4100 Polyester -
High intensity prismatic
Solid colours
For identifying hazards
Polyester - High intensity prismatic
Hazard stripe colours
50mm diagonal chevron



Standard colours available



Colours available by indent only



Right Hand



Left Hand



VEHICLE CONSPICUITY (EDGE SEALED)

Stylus VC-E4 is composed of cube corner (retroreflective microprism) and are formed by hard polymer on flexible, UV stabilised polymeric film which applied edge sealed technology. It is intended for the safety marking of trucks & trailers with rigid surfaces. Available in fluro green/yellow.



Custom Printed Message Tapes & Labels

Stylus print logos and/or specific messages on a variety of tapes and labels in sizes to suit every job. (multiple colours can be printed)

Stylus CP247 Polypropylene film - Budget grade with acrylic adhesive

Stylus CP250 Polypropylene film - Economy grade with hotmelt adhesive

Stylus CP300 Polypropylene film - General purpose grade with hotmelt adhesive

Stylus CP350 Polypropylene film - Premium grade suitable for coolroom/freeze use with natural rubber

Stylus CP860 PLA film - Premium grade with natural rubber adhesive suitable for coolroom/freeze use -

Environmentally friendly

Stylus CP4800 Kraft Paper Tape with hotmelt adhesive - *Environmentally friendly*

Stylus CP440 PVC film with natural rubber adhesive - Silent unwind

Stylus CP500 PVC Labels with natural rubber adhesive - Perforated, easy to unwind, tear and stick, no paper to peel off

Stylus CP2660 Antislip Tape with acrylic adhesive - Industrial Grade (Indent only)



Die Cuts

Stylus furnish a wide variety of tapes and adhesives that can be supplied in custom cut configurations to assist end users with their applications. Services such as die-cutting, laminating, precise slitting and even assembly and packaging can be offered. Quality products are guaranteed and customers will enjoy improved productivity. Stylus have been a leader in converted materials for over 50 years and their experienced team welcome the opportunity to assist you in your tape converting needs.

Such as:

- Roll form • Loose pieces • Sheet form • Weeding
- Tabbing/Extended liner • Back slitting



Aerospace

Stylus Tapes International are the Australian Agents for the Patco & Polyken range of Aerospace Adhesive Tapes. We stock & INDENT a range of adhesive tapes specified for the Aerospace Industry such as; Cargo Pit Tapes, Moisture Barrier Tapes, Carpet Tapes, Mounting Tapes, Foil & Speed Tapes, High Strength Interior & Exterior Surface Protection Tapes.



Tape solutions made simple!



TAPES INTERNATIONAL

ADHESIVE TAPE SPECIALISTS

Tape solutions made simple!

*Australian owned, local efficient deliveries from
warehouses in all mainland states coupled with
experienced staff and sales force*

Sydney Head Office & Factory

111-121 Warren Road
Smithfield NSW 2164
PO Box 7124
Wetherill Park NSW 2164
P 02 9632 9400 F 02 9632 9433
E sales@stylustapes.com.au

Perth

P 08 9303 4160 F 08 9303 4260
E wa@stylustapes.com.au

Darwin

P 08 8241 5239 F 08 8241 5268
E sa@stylustapes.com.au

Melbourne

P 03 9783 0122 F 03 9783 0233
E vic@stylustapes.com.au

Tasmania

P 02 9632 9400 F 02 9632 9433
E sales@stylustapes.com.au

Brisbane

P 07 3273 3211 F 07 3273 3311
E qld@stylustapes.com.au

Auckland

P 02 9632 9400 F 02 9632 9433
E sales@stylustapes.co.nz

Adelaide

P 08 8241 5239 F 08 8241 5268
E sa@stylustapes.com.au

Export

P 02 9632 9400 F 02 9632 9433
E sales@stylustapes.com.au



Disclaimer

All the information contained in this catalogue is given in good faith for guidance only & not specification purposes. All data is based upon average values, the Purchaser shall be responsible for determining the suitability of the product for their purposes.



www.stylustapes.com.au

PAGE 26